





UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/842,771	04/27/2001	Fumito Takemoto	2091-0242P	2813
2292	7590 10/20/2004	i.	EXAM	INER
BIRCH STE PO BOX 747	WART KOLASCH	HANNETT,	HANNETT, JAMES M	
FALLS CHURCH, VA 22040-0747			ART UNIT	PAPER NUMBER
			2612	

DATE MAILED: 10/20/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)				
		TAKEMOTO, FUMITO				
Office Action Summary	09/842,771 Examiner	Art Unit				
• • • • • • • • • • • • • • • • • • •	James M Hannett	2612				
The MAILING DATE of this communication ap						
Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPL THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailing date of this communication.  - If the period for reply specified above is less than thirty (30) days, a repl - If NO period for reply is specified above, the maximum statutory period - Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailin earned patent term adjustment. See 37 CFR 1.704(b).	136(a). In no event, however, may a reply be ly within the statutory minimum of thirty (30) of will apply and will expire SIX (6) MONTHS fr a, cause the application to become ABANDO	timely filed  days will be considered timely.  om the mailing date of this communication.  NED (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on 27 A	A <u>pril 2001</u> .					
2a) This action is <b>FINAL</b> . 2b) ☐ This						
3) Since this application is in condition for allowa	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
closed in accordance with the practice under t	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims						
4) ☐ Claim(s) 1-18 is/are pending in the application. 4a) Of the above claim(s) is/are withdrawn from consideration.  5) ☐ Claim(s) is/are allowed.  6) ☐ Claim(s) 1-18 is/are rejected.  7) ☐ Claim(s) is/are objected to.  8) ☐ Claim(s) are subject to restriction and/or election requirement.						
Application Papers						
9)⊠ The specification is objected to by the Examine 10)⊠ The drawing(s) filed on 27 April 2001 is/are: a Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11)□ The oath or declaration is objected to by the Examine 11.	accepted or b) objected $0$ objected $0$ drawing(s) be held in abeyance. Stion is required if the drawing(s) is	See 37 CFR 1.85(a). objected to. See 37 CFR 1.121(d).				
Priority under 35 U.S.C. § 119						
a) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of:  1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority document application from the International Bureat * See the attached detailed Office action for a list	ts have been received. ts have been received in Applic prity documents have been rece au (PCT Rule 17.2(a)).	eation No sived in this National Stage				
Attachment(s)  1) Notice of References Cited (PTO-892)  2) Notice of Draftsperson's Patent Drawing Review (PTO-948)  3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08 Paper No(s)/Mail Date 2.	4) Interview Summ Paper No(s)/Mai  5) Notice of Inform: 6) Other:					

Art Unit: 2612

#### **DETAILED ACTION**

## **Specification**

Applicant is reminded of the proper language and format for an abstract of the disclosure.

The abstract should be in narrative form and generally limited to a single paragraph on a separate sheet within the range of 50 to 150 words. It is important that the abstract not exceed 150 words in length since the space provided for the abstract on the computer tape used by the printer is limited. The form and legal phraseology often used in patent claims, such as "means" and "said," should be avoided. The abstract should describe the disclosure sufficiently to assist readers in deciding whether there is a need for consulting the full patent text for details.

The language should be clear and concise and should not repeat information given in the title. It should avoid using phrases which can be implied, such as, "The disclosure concerns," "The disclosure defined by this invention," "The disclosure describes," etc.

The title of the invention is not descriptive. A new title is required that is clearly indicative of the invention to which the claims are directed.

The following title is suggested: Image processing apparatus for carrying out tone conversion processing and color correction processing using a three-dimensional look-up table.

# Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.
- 1: Claims 1, 7, and 13 are rejected under 35 U.S.C. 102(e) as being anticipated by USPN 6,590,678 Nishigaki et al.

Application/Control Number: 09/842,771 Page 3

Art Unit: 2612

2: As for Claim 1, Nishigaki et al teaches on Column 6, Lines 3-16 an image processing method for obtaining processed image data by carrying out tone conversion processing (2005) and color correction processing (2007) on image data obtained by a digital camera. Nishigaki et al teaches on Column 7, Lines 65 – Column 8, Line 15 generating a three-dimensional look-up table (LUT) for carrying out the tone conversion processing (2005) and the color correction processing (2007) on the image data; Nishigaki et al teaches on Column 9, Lines 4-18 obtaining the processed image data (output signal) by converting the image data (input signal) according to the three-dimensional look-up table.

- 3: As for Claim 7, Claim 7 is rejected for reasons discussed related to Claim 1, since Claim 1 is substantively equivalent to Claim 7.
- 4: As for Claim 13, Claim 13 is rejected for reasons discussed related to Claim 1, since Claim 1 is substantively equivalent to Claim 13.

# Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 5: Claims 3, 9, and 15 are rejected under 35 U.S.C. 103(a) as being unpatentable over USPN 6,590,678 Nishigaki et al in view of USPN 5,974,173 Kimura.
- 6: As for Claim 3, Nishigaki et al teaches the use of an image processing apparatus that performs tone and color correction by using a three-dimensional look-up table. However,

Art Unit: 2612

Nishigaki et al does not teach the step of setting a number of lattice points in the threedimensional look-up table according to a number of bits of the image data.

Kimura teaches on Column 4, Lines 6-12 and Column 4, Lines 38-51 and Column 9, Lines 45-52 and Column 10, Lines 1-2 and on Column 3, lines 28-62 that it is advantageous when using three-dimensional look-up table that perform color and tone correction to reduce the bit length of the look-up table in order to reduce memory size. Therefore, Kimura teaches setting the number of lattice points in the three-dimensional look-up table according to the number of bits of the image data

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to reduce the bit length of the look-up table in Nishigaki et al according to the number of bits of the image data as taught by Kimura in order to reduce memory size.

- 7: As for Claim 9, Claim 9 is rejected for reasons discussed related to Claim 3, since Claim 3 is substantively equivalent to Claim 9.
- 8: As for Claim 15, Claim 15 is rejected for reasons discussed related to Claim 3, since Claim 3 is substantively equivalent to Claim 15.
- 9: Claims 2, 4, 5, 8, 10, 11, 14, 16 and 17 are rejected under 35 U.S.C. 103(a) as being unpatentable over USPN 6,590,678 Nishigaki et al in view of 5,489,996 Oku et al.
- 10: In regards to Claim 2, Nishigaki et al teaches the use of an image processing apparatus that uses three-dimensional look-up tables to correct tone and color in digital images. However, Nishigaki et al does not teach the step of generating the three-dimensional look-up table for a model of a digital camera.

Art Unit: 2612

Oku et al teaches on Column 1, lines 17-20 and on Column 2, lines 37-63 the use of an image processing apparatus that uses three-dimensional look-up tables to correct tone and color in digital images. Oku et al further teaches that it is advantageous to perform the color correction in consideration of the color reproduction characteristics of the image recording apparatus in order to record an image with good color reproduction.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to perform the color correction and tone correction process of Nishigaki et al in consideration of the color reproduction characteristics of the image recording apparatus as taught by Oku et al in order to record an image with good color reproduction.

number of pixels (M) in an image represented by the image data with the number of lattice points (N) in the three-dimensional look-up table. Nishigaki et al teaches on Column 8, Lines 13-15 and on Column 8, Line 43 the step of generating the three-dimensional look-up table being a step of generating the three-dimensional look-up table being a step of generating the three-dimensional look-up table in the case where the number of the pixels (M) is larger than the number of the lattice points (N), Nishigaki et al teaches that the number of input signals is greater than the number of lattice points. Nishigaki et al teaches on Column 9, Lines 4-18 the step of obtaining the processed image data (output signal) being a step of obtaining the processed image data by converting the image data (input image data) according to the three-dimensional look-up table (LUT) in the case where the number of the pixels (M) is larger than the number of the lattice points (N). Nishigaki et al teaches that the number of input signals (M) is larger than the number of lattice points (N) and does not teach that the number of lattice points

Art Unit: 2612

can be equal to the number of input signals. Nishigaki et al teaches that this is done to save memory space.

Oku et al teaches on Column 2, Lines 6-15 that it was well known to use threedimensional look-up tables where the input color signals and the output color signals are each expressed with 8-bits, if a large memory size is practical to use. Therefore, the number of input signals is equal to the number of lattice points.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to carrying out the tone conversion processing (2005) and the color correction processing (2007) on each of the pixels (M) in the image represented by the image data (input signal) in the case where the number of the pixels (M) is equal to the number of the lattice points.

12: As for Claim 5, Nishigaki et al teaches on Column 6, Lines 3-16 an image processing method for obtaining processed image data by carrying out tone conversion processing (2005) and color correction processing (2007) on image data obtained by a digital camera. Nishigaki et al teaches on Column 8, Lines 7-26 comparing a number of lattice points (N) in a three-dimensional look-up table (LUT) used for carrying out the tone conversion processing (2005) and the color correction processing (2007) on the image data with a number pixels (M) in an image represented by the image data; Nishigaki et al teaches on Column 8, Lines 13-15 and on Column 8, Line 43 the step of generating the three-dimensional look-up table, Nishigaki et al teaches on Column 9, Lines 4-18 the step of obtaining the processed image data (output signal) being a step of obtaining the processed image data by converting the image data (input image data) according to the three-dimensional look-up table (LUT) in the case where the number of

Art Unit: 2612

the pixels (M) is larger than the number of the lattice points (N). Nishigaki et al teaches that the number of input signals (M) is larger than the number of lattice points (N) and does not teach that the number of lattice points can be equal to the number of input signals. Nishigaki et al teaches that this is done to save memory space.

Oku et al teaches on Column 2, Lines 6-15 that it was well known to use threedimensional look-up tables where the input color signals and the output color signals are each expressed with 8-bits, if a large memory size is practical to use. Therefore, the number of input signals is equal to the number of lattice points.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to carrying out the tone conversion processing (2005) and the color correction processing (2007) on each of the pixels (M) in the image represented by the image data (input signal) in the case where the number of the pixels (M) is equal to the number of the lattice points.

- 13: In regards to Claim 8, Claim 8 is rejected for reasons discussed related to Claim 2, since Claim 2 is substantively equivalent to Claim 8.
- 14: In regards to Claim 10, Claim 10 is rejected for reasons discussed related to Claim 4, since Claim 4 is substantively equivalent to Claim 10.
- 15: As for Claim 11, Nishigaki et al teaches on Column 6, Lines 3-16 an image processing apparatus for obtaining processed image data by carrying out tone conversion processing (2005) and color correction processing (2007) on image data. Nishigaki et al teaches on Column 7, Lines 65 Column 8, Line 15 and on Column 8, Lines 7-26 three-dimensional look-up table generating means for comparing the number of lattice points (N) in a three-dimensional look-up

Art Unit: 2612

table used for the tone conversion processing (2005) and the color correction processing (2007) on the image data with the number of pixels (M) in an image represented by the image data. Nishigaki et al teaches on Column 8, Lines 13-15 and on Column 8, Line 43 generating the three-dimensional look-up table (LUT) in the case where the number of the pixels (M) is larger than the number of the lattice points (N); Nishigaki et al teaches on Column 9, Lines 4-18 processing means for obtaining the processed image data (output signal) by converting the image data (input signal) according to the three-dimensional look-up table (LUT) in the case where the number of the pixels (M) is larger than the number of the lattice points (N). Nishigaki et al teaches that the number of input signals (M) is larger than the number of lattice points (N) and does not teach that the number of lattice points can be equal to the number of input signals. Nishigaki et al teaches that this is done to save memory space.

Oku et al teaches on Column 2, Lines 6-15 that it was well known to use threedimensional look-up tables where the input color signals and the output color signals are each expressed with 8-bits, if a large memory size is practical to use. Therefore, the number of input signals is equal to the number of lattice points.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to carrying out the tone conversion processing (2005) and the color correction processing (2007) on each of the pixels (M) in the image represented by the image data (input signal) in the case where the number of the pixels (M) is equal to the number of the lattice points.

16: In regards to Claim 14, Claim 14 is rejected for reasons discussed related to Claim 2, since Claim 2 is substantively equivalent to Claim 14.

Art Unit: 2612

17: In regards to Claim 16, Claim 16 is rejected for reasons discussed related to Claim 4, since Claim 4 is substantively equivalent to Claim 16.

- 18: As for Claim 17, Claim 17 is rejected for reasons discussed related to Claim 5, since Claim 5 is substantively equivalent to Claim 17.
- 19: Claims 6, 12 and 18 are rejected under 35 U.S.C. 103(a) as being unpatentable over USPN 6,590,678 Nishigaki et al in view of 5,489,996 Oku et al in view of USPN 5,974,173 Kimura.
- 20: In regards to Claim 6, Nishigaki et al in view of Oku et al teaches the use of an image processing apparatus that performs tone and color correction by using a three-dimensional look-up table. However, Nishigaki et al does not teach the step of setting a number of lattice points in the three-dimensional look-up table according to a number of bits of the image data.

Kimura teaches on Column 4, Lines 6-12 and Column 4, Lines 38-51 and Column 9, Lines 45-52 and Column 10, Lines 1-2 and on Column 3, lines 28-62 that it is advantageous when using three-dimensional look-up table that perform color and tone correction to reduce the bit length of the look-up table in order to reduce memory size. Therefore, Kimura teaches setting the number of lattice points in the three-dimensional look-up table according to the number of bits of the image data

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to reduce the bit length of the look-up table in Nishigaki et al according to the number of bits of the image data as taught by Kimura in order to reduce memory size.

21: In regards to Claim 12, Nishigaki et al in view of Oku et al teaches the use of an image processing apparatus that performs tone and color correction by using a three-dimensional look-

Art Unit: 2612

up table. However, Nishigaki et al does not teach the step of setting a number of lattice points in the three-dimensional look-up table according to a number of bits of the image data.

Kimura teaches on Column 4, Lines 6-12 and Column 4, Lines 38-51 and Column 9, Lines 45-52 and Column 10, Lines 1-2 and on Column 3, lines 28-62 that it is advantageous when using three-dimensional look-up table that perform color and tone correction to reduce the bit length of the look-up table in order to reduce memory size. Therefore, Kimura teaches setting the number of lattice points in the three-dimensional look-up table according to the number of bits of the image data

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to reduce the bit length of the look-up table in Nishigaki et al according to the number of bits of the image data as taught by Kimura in order to reduce memory size.

22: In regards to Claim 18, Claim 18 is rejected for reasons discussed related to Claim 6, since Claim 6 is substantively equivalent to Claim 18.

### Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. USPN 5,592,312 Noguchi teaches the use of a color correction process that uses look-up tables; USPN 5,805,213 Spaulding et al teaches an apparatus for color-correcting a digital camera.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to James M Hannett whose telephone number is 703-305-7880. The examiner can normally be reached on 8:00 am to 5:00 pm M-F.

Art Unit: 2612

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Wendy Garber can be reached on 703-305-4929. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

James M. Hannett Examiner Art Unit 2612

JMH October 11, 2004

JPERVISORY PATENT EXAMINE
JPERVISORY CENTER 2600